



8-14-07

copy ✓

| | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------------------------|-----------------------|------------------------|
| CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10) | | | Docket No. 60492/7 | |
| Applicant(s): William Graham, et al. | | | | |
| Application No. 10/816,124 | Filing Date April 1, 2004 | Examiner Mark Rosenbaum | Customer No. | Group Art Unit 3725 |
| Invention: SYSTEM AND METHOD FOR PULVERIZING AND EXTRACTING MOISTURE | | | | |
| <div>I hereby certify that the following correspondence: <div>See below</div><p>(Identify type of correspondence)</p><p>is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on</p><p>August 13, 2007 (Date)</p><div>John R. Thompson (Typed or Printed Name of Person Mailing Correspondence)</div><div> (Signature of Person Mailing Correspondence)</div><div>ER 620039673 US (Express Mail Mailing Label Number)</div></div> | | | | |
| <div>Note: Each paper must have its own certificate of mailing.</div> <div>Certificate of Correction (11 pgs.) Request for a Certificate of Correction (2 pgs.) Credit Card Payment Form authorizing the amount of \$100 (1 pg.) Postcard</div> <div>Certificate AUG 17 2007 of Correction</div> <div>AUG 17 2007</div> | | | | |



PATENT
Docket No. 60492/7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|------------------------|---|----------|
| In re application of |) | |
| |) | |
| William Graham, et al. |) | |
| |) | |
| Serial No.: |) | Art Unit |
| |) | 3725 |
| Filed: |) | |
| |) | |
| For: |) | |
| |) | |
| |) | |
| |) | |
| Examiner: |) | |
| |) | |
| Patent No.: |) | |
| |) | |
| Issue Date: |) | |
| |) | |
| |) | |

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. §
255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct

08/14/2007 SSITHIB1 00000101 7040557

01 FC:1811


100.00 OP

AUG 17 2007

mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections.

Dated this 13 day of August, 2007

Respectfully submitted,


John R. Thompson
Attorney for Patentee
Registration No. 40,842

Stoel Rives LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Telephone: (801) 578-6994
Facsimile: (801) 578-6999

JRT:jbb
Docket: 60492/7

AUG 17 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Abstract, line 14, "...couples to an axel rotating the airflow generator..." change to – couples to an axle rotating the airflow generator –

Column 1, line 29, "...Breaking up solids and grinding it into powder..." change to – Breaking up solids and grinding them into powder

Column 2, line 3, "...is a plan view illustrating a plan view of the pulverizing..." change to – is a plan view illustrating the pulverizing –

Column 2, line 9, "...is cross-sectional view of a venturi..." change to – is a cross-sectional view of a venturi –

Column 2, line 42, "...a cross-sectional view an alternative embodiment of..." change to – a cross-sectional view of an alternative embodiment of..."

Column 2, line 46, "...of an housing, axel, and balancer;..." change to – of an housing, axle, and balancer; –

Column 2, line 60, "...internal balancer disposed within an axel; FIG. 28 is..." change to – internal balancer disposed within an axle; FIG. 28 is –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies
→ 1 of 11

AUG 17 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 4, line 5, "...couples to an axel 33 using known methods. The axel 33..."
change to – couples to an axle 33 using known methods. The axle 33 –

Column 5, line 14, "...the granulization of the material. Non-polymerized..."
change to – the granulation of the material. Non-polymerized –

Column 5, line 60, "...appreciate that the dimension are for..." change to –
appreciate that the dimensions are for –

Column 6, line 46, "...with a diameter of 20 um in one..." change to – with a
diameter of 20 μ m in one –

Column 6, line 64, "...total colifrom, faecal colifrom, *escherichia coli*, and other..."
change to – total coliform, fecal coliform, *escherichia coli*, and other –

Column 8, lines 4, "...angle V may approximately 25 degrees..." change to – angle
 α may be approximately 25 degrees –

Column 8, line 9, "...angle V may be adjusted to increase or decrease the..." change
to – angle α may be adjusted to increase or decrease the –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies

→ 2 of 11

AUG 17 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

SaltLake-332944.1 0060492-00007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 8, line 24, "...where it is discharged through an air lock 126 and into..." change to – where they are discharged through an air lock 126 and into –

Column 9, line 65, "...performed by the cyclone114. If pulverized..." change to – performed by the cyclone 114. If pulverized –

Column 10, line 20, "...the air velocity. Variance of the throat diameter..." change to – the air velocity. Variation of the throat diameter –

Column 11, line 20, "...control valve 404, the second flow control..." change to – control calve 405, the second flow control –

Column 11, line 34, "...inlet tubes 12,412 and the venturis..." change to – inlet tubes 12, 412 and the venturis –

Column 11, line 66, "...apparatus, such as a filter, be used. Flow control..." change to – apparatus, such as a filter, may be used. Flow control –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies



3 of 11

AUG 17 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 12, lines 42, 43, "...inconsistent surfaces and heat effected areas due to heat effected zones. The cast..." change to – inconsistent surfaces and heat-affected areas due to heat-affected zones. The cast –

Column 12, lines 64, 65, 66 "...includes a concentrically disposed axel aperture 508. As the name suggests, the axel aperture 508 receives and engages an axel or spindle to power..." change to – includes a concentrically disposed axle aperture 508. As the name suggests, the axle aperture 508 receives and engages an axle or spindle to power –

Column 13, line 5, "...disposed concentrically around the axel aperture..." change to – disposed concentrically around the axle aperture –

Column 13, line 7, "...a corresponding axel bolt (not shown) that are each coupled to an axel. The..." change to – a corresponding axle bolt (not shown) that are each coupled to an axle. The –

Column 13, line 8, "...The axel colts are secured to back plate 506 by nuts..." change to – The axle colts are secured to back plate 506 by nuts –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies



4 of 11

1317 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

SaltLake-332944.1 0060492-00007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 13, line 28, "...that may enter between the housing 500 and the airflow generator..." change to – that may enter between the housing and the airflow generator –

Column 13, line 29, "...housing and the airflow generator 200." change to – housing and the airflow generator 500. –

Column 13, line 30-38, "...Referring to FIG. 12, a cross-sectional view of the axel aperture 508 is shown. The axel aperture 508 receives an axel, shaft, spindle, or other member to rotate the airflow generator 500. The bolt apertures 509 each receive an axel bolt to secure the back plate 506. In this embodiment, an axel transitions from a first diameter, with axel bolts extending, to a second diameter suitable for insertion into the axel aperture 508. The bolt apertures 509 may each provide a well 513 to receive a nut that engages an axel bolt." change to – Referring to FIG. 12, a cross-sectional view of the axle aperture 508 is shown. The axle aperture 508 receives an axle, shaft, spindle, or other member to rotate the airflow generator 500. The bolt apertures 509 each receive an axle bolt to secure the back plate 506. In this embodiment, an axle transitions from a first diameter, with axle bolts extending, to a second diameter suitable for insertion into the axle aperture 508. The bolt apertures 509 may each provide a well 513 to receive a nut that engages an axle bolt –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies
→ 5 of 11

JUN 17 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

SaltLake-332944.1 0060492-00007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 13, line 38, "...each provide a well 513 to receive a nut that..." change to – each provide a well 515 to receive a nut that –

Column 13, line 46, "...adjacent the axel aperture 508. The blade..." change to – adjacent the axle aperture 508. The blade –

Column 13, line 60, "...advantageously allow variance in three dimensions and allows..." change to – advantageously allow variation in three dimensions and allows..."

Column 13, line 60, "...variation in three dimensions and allows any number..." change to – variation in three dimensions and allow any number –

Column 15, line 41, "...the counter-clockwise position and the blades 510 would..." change to – the counter-clockwise direction and the blades 510 would –

Column 15, line 44, "...from 350 mph or greater and directs air and pulverized material..." change to – from 350 mph or greater and direct air and pulverized material –

Column 16, line 11, "...exhaust pipe 112, and first and second cyclones 116, 406. The system..." change to – exhaust pipe 112, and first and second cyclones 114, 406. The system –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies

→ 6 of 11

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 16, line 28, "...second cyclones 116, 406 may extend out of the..." change to – second cyclones 114, 406 may extend out of the –

Column 16, line 30, "...cyclones 116, 406 may be removed entirely or partially..." change to – cyclones 114, 406 may be removed entirely or partially –

Column 18, lines 24-31, "...34 and axel 33 adjacent the backslide 704 of the housing 35. The motor 34 engages a pulley 1002 that engages the axel 33 to effect high speed rotation of the axel 33. The axel 33, also referred to as a spindle, couples to one or more brackets 1004 to secure the axel 33 and fix its rotation. The brackets 1004 are secured to a mounting plate 1006. The pulley 1002 is shown engaging axel 33 between two brackets 1004, although the pulley 1002 may engage the axel 33 in other..." change to – 34 and axle 33 adjacent the backslide 704 of the housing 35. The motor 34 engages a pulley 1002 that engages the axle 33 to effect high speed rotation of the axle 33. The axle 33, also referred to as a spindle, couples to one or more brackets 1004 to secure the axle 33 and fix its rotation. The brackets 1004 are secured to a mounting plate 1006. The pulley 1002 is shown engaging axle 33 between two brackets 1004, although the pulley 1002 may engage the axle 33 in other –

Column 18, line 43, "...state for unbalance in the axel 33 and the airflow generator..." change to – state for unbalance in the axle 33 and the airflow. –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies

→ 7 of 11

AUG 17 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

SaltLake-332944.1 0060492-00007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 18, line 44, "...32 as the axel spins at working RPM..." change to – 32 as the axle spins at working RPM –

Column 18, line 58, "...proximate end 1016 of the axel 33. The axel 33 couples at..." change to – proximate end 1016 of the axle 33. The axle 33 couples at –

Column 18, line 61, "...to the axel 33 proximate to the backside 704, also..." change to – to the axle 33 proximate to the backside 704, also –

Column 18, line 64, "...airflow into the input aperture 508 of the air turbine 32." change to – airflow into the input aperture 508 of the airflow generator –

Column 18, line 66, "...mass compensation for axel imbalance. In one..." change to mass compensation for axle imbalance. In one –

Column 19, line 21, "...is defined as having the axel center 1025. The..." change to – is defined as having the axle center 1025. The –

Column 19, line 23, "...even if the axel 33 is stopped and..." change to – even if the axle is stopped and –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies



8 of 11

AUG 17 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 19, line 41, "...external balancer 1010 is coupled to an axel 33 and rotates within a first..." change to – external balancer 1010 is coupled to an axle 33 and rotates within a first –

Column 19, 46, "...ends of the axel 33. The weights 1020 within the external..." change to – ends of the axle 33. The weights 1020 within the external –

Column 19, line 52, "...opposing ends of the axel 33 to precisely and..." change to – opposing ends of the axle 33 to precisely and –

Column 19, line 54, "...pulley 1002 couples to the axel 33 between the..." change to – pulley 1002 couples to the axle 33 between the –

Column 19, line 56, "...the pulley 1002 may couple to the axel 33 at other locations..." change to – the pulley 1002 may couple to the axle 33 at other –

Column 19, line 60, "...Referring to FIG. 25B, a perspective diagram is shown..." change to – Referring to FIG. 26B, a perspective diagram is shown –

Column 19, line 62, "...and external balancer 1010 couples to..." change to – and external balancer 1018 couples to –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies
→ 9 of 11

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

SaltLake-332944.1 0060492-00007

AUG 17 2007

AUG 17 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 19, line 65, "...an axel 33 that also couples to the mass..." change to – an axle 33 that also couples to the mass –

Column 20, line 21, "...nests within the bore of the axel 33. Internal balancers are..." change to – nests within the bore of the axle 33. Internal balancers are –

Column 20, line 25, "...1042 that bolts to the axel 33 through one or more..." change to – 1042 that bolts to the axle through one or more –

Column 20, line 27, "...internal balancer 1040 to the axel 33 and are included.." change to – internal balancer to the axle 33 and are included –

Column 20, line 41, "...internal balancer 1020 is shown. The compensating..." change to – internal balancer 1040 is shown. The compensating –

Column 20, line 53, "...to an axel 33. Ring balancers are commercially..." change to – to an axle 33. Ring balancers are commercially –

Column 20, line 56, "...along the length of the axel 33. The ring balancer..." change to – along the length of the axle 33. the ring balancer –

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies

→ 10 of 11

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

SaltLake-332944.1 0060492-00007

AUG 17 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,557 B2
DATED : May 9, 2006
INVENTOR(S): William Graham, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

**Column 21, line 13, "...couple to the axel 33 on the pulley side to avoid..." change to
– couple to the axle 33 on the pulley side to avoid –**

MAILING ADDRESS OF SENDER: John R. Thompson
Registration No. 40,842
STOEL RIVES LLP
One Utah Center
201 South Main Street, Suite 1100
Salt Lake City, UT 84111
Phone: (801) 578-6994
Fax: (801) 578-6999

PATENT NO. 7,040,557 B2

No. of additional copies 11 of 11 **17 2007**

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
SaltLake-332944.1 0060492-00007